OPTIONS

Methods of installation
- embedded in concrete

Rack size
- 3
- 4
- 5
- 6
- 7

DESCRIPTION

Classic 05.056 is a city furniture bicycle rack which is ideally suited to the particular demands of busy squares and pedestrian zones as well as leisure areas and bus stations. It is made of black steel which is available in three options: black matt colour, dark graphite or other standard colours of the RAL palette. Presented bicycle stand has a retro style character which is just perfect for historical city surroundings. It has some nice ornaments and original construction. Classic bicycle parking is a single-sided model with spaces from three to even seven bicycles. It works perfectly installed in numbers as well as just a solitary stand.





GENERAL TECHNICAL DATA

Materials
- iron castings
- steel tubes
- round bars

Weight
- 30 kg

Dimensions
- width: 42 cm
- length: 195 cm
- height from ground surface: 90 cm
- height with anchoring section: 150 cm

ZANO

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright , Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approx. 2 - 4 cm)
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
3. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Fixed hardened surface e.g. concrete or asphalt
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approx. 2 - 4 cm)
6. Ground